GP Lighting

Product Data Sheet

GP LD DIM CLS60 8.6-75W E27 W FM CL

Order code	EAN	Packaging - SKU	
081692-LDCE1	4986149081692	Eco blister, 1 pc/SKU	+++-++
			//////
Product			///////////////////////////////////////
Category		LED Lamps	
Series		VINTAGE CLASSIC	
		- CLEAR (FILAMENT)	
Model		HI-BRIGHTNESS CLASSIC CLEAR-FM DIMMABLE	111111
		GP LD CLS60 E27 8.6-75W 220-240V CL FM DIM	
Description		CE1	
		<u>'</u>	
General description			
Energy label		A++	
Lamp shape		Classic A60	
Lamp base		E27	
Dimmable		Yes	
Mercury free		Yes	φ60±1
Mercury content		0.0 mg	
Recycling		Yes]
			134
Electrical characteri	stics		
Nominal wattage		8.6 W ±10%	
Rated wattage		8.6 W	
Equivalent incandescen	t lamp power	75 W	
Power factor		>0.8	Spectral Distribution
Voltage		220-240 V	1.27
Operating frequency		50/60Hz	
Lamp current		35-40 mA	1.0-
Weighted Energy Consumption		9 KWh / 1000 h	0.8-
			0.6-
Light technical char	acteristics		8. 0.4-
Light colour		WARM WHITE	0.4
Colour temperature		2700 K ♦ 270K	0.2
Colour rendering index (Ra)	≥80	0.0 500 600 700 800
Colour consistency		<6 SDCM	380 500 600 700 800 Wavelength(nm)
Nominal luminous flux		1055 lm ±10%	
Rated luminous flux		1055 lm	GP LED Lamps are designed for
Lumen maintenance factor at end of life		≥0.7	true direct replacement of standard
Warm-up time (60%)		Instant s	incandescent lamps.
			0 (1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Starting time		<0.5 s	Compatible shapes and sizes of GLS
		<0.5 s	Very low energy consumption
Lifespan			Very low energy consumption Extremely long life
Lifespan		<0.5 s	Very low energy consumption Extremely long life Emit a warm white or cold white light
Lifespan Nominal life time Rated lamp life time		15000 h 15000 h	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience
Lifespan Nominal life time Rated lamp life time		15000 h	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output
Lifespan Nominal life time Rated lamp life time Switching cycles		15000 h 15000 h	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions		15000 h 15000 h 50000	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions	5	15000 h 15000 h	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions Overall length (L)		15000 h 15000 h 50000	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions Overall length (L)		15000 h 15000 h 50000	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions Overall length (L) Diameter (D)		15000 h 15000 h 50000	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions Overall length (L) Diameter (D) Product Compliance		15000 h 15000 h 50000 104 mm •1 mm 60 mm •1 mm	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use No UV Applications
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions Overall length (L) Diameter (D) Product Compliance Warranty		15000 h 15000 h 50000 104 mm ◆1 mm 60 mm ◆1 mm CE, ERP, ROHS, REACH	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use No UV Applications Domestic and commercial applications General illumination Can be used everywhere at home
Starting time Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions Overall length (L) Diameter (D) Product Compliance Warranty * Please refer to website		15000 h 15000 h 50000 104 mm ◆1 mm 60 mm ◆1 mm CE, ERP, ROHS, REACH 12 months from ex-factory date	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use No UV Applications Domestic and commercial applications General illumination
Lifespan Nominal life time Rated lamp life time Switching cycles Product dimensions Overall length (L) Diameter (D) Product Compliance Warranty		15000 h 15000 h 50000 104 mm ◆1 mm 60 mm ◆1 mm CE, ERP, ROHS, REACH 12 months from ex-factory date	Very low energy consumption Extremely long life Emit a warm white or cold white light for different ambience Instant start with full light output Available in most common lamp bases for household use No UV Applications Domestic and commercial applications General illumination Can be used everywhere at home

$www.gp\hbox{-lighting.com}$